

EVENTLET

ASYNCHRONOUS I/O WITH A
SYNCHRONOUS INTERFACE

DONOVAN PRESTON

NETWORK SERVERS

PROCESSES, THREADS, OR NON-BLOCKING I/O?

THE C10K PROBLEM

- <http://www.kegel.com/c10k.html>
- “It's time for web servers to handle ten thousand clients simultaneously, don't you think?”

PROCESSES, THREADS, NON-BLOCKING I/O

- Processes
 - Too heavyweight
- Threads
 - Non-determinism sucks
- Non-Blocking I/O
 - Requires callback-style programming
 - Rules out many existing libraries

SOLUTION: COROUTINES

- **Callbacks:** Register a callback function and then **Return** to the main loop
- **Coroutines:** Register a callback coroutine and then **Call** the main loop
 - The call stack is preserved
 - Does not require cooperation from the caller

ENHANCED GENERATOR COROUTINE PROBLEMS

- Python 2.5's Enhanced Generators can be used to implement coroutines
- The yield statement returns control to the caller, unlike a traditional coroutine
 - Requires caller participation
 - Java "Checked Exception" problem
- They have other caveats

SOLUTION: GREENLET

- Greenlet Provides Hard Switching from Stackless in a Regular Python Module
- Stack Slicing is used to implement coroutine switching
- Portions of the C Stack are copied to the Heap and vice versa


EVENTLET

GREEN THREADS ON TOP OF GREENLET


GREEN THREADS: LIGHTWEIGHT THREADS

- Regular POSIX threads are **Preemptive**
 - Non-Deterministic
- Green Threads are **Cooperative**
 - Deterministic
- Green Threads use much less memory

Memory Usage



Time



SPAWNING A GREEN THREAD

- `spawn(
func,
*args,
**kwargs)`

```
>>> def func(x, y):  
...     return x + y  
...  
>>> import eventlet  
>>> eventlet.spawn(func, 1, 2).wait()  
3
```

COOPERATING: VOLUNTARILY YIELDING

- `sleep(0)`
 - “Run something else, then switch back to me as soon as possible”
- `sleep(1)`
 - “Switch to me after 1 second”

```
import eventlet

def func1():
    eventlet.sleep(2)
    print "func1"

def func2():
    eventlet.sleep(1)
    print "func2"

f1 = eventlet.spawn(func1)
f2 = eventlet.spawn(func2)

f1.wait()
f2.wait()
```

Outputs:

```
func2
func1
```

SYNCHRONIZATION: EVENT

- One sender, multiple waiters
- One use
- Output:

```
sending  
sent  
waiter
```

```
import eventlet  
from eventlet import event  
  
evt = event.Event()  
  
def waiter():  
    evt.wait()  
    print "waiter"  
  
w = eventlet.spawn(waiter)  
  
print "sending"  
evt.send()  
print "sent"  
  
w.wait()
```

SYNCHRONIZATION: QUEUE

- Multiple senders, multiple waiters
- Multiple use
- Output:

```
func1 hello  
func2 world
```

```
import eventlet  
  
q = eventlet.Queue()  
  
def func1():  
    print "func1", q.get()  
  
def func2():  
    print "func2", q.get()  
  
waiton = (  
    eventlet.spawn(func1),  
    eventlet.spawn(func2))  
  
q.put("hello")  
q.put("world")  
  
for x in waiton: x.wait()
```

CONCURRENCY CONTROL: POOL

- Pools can be used to limit concurrency
- Output:

```
execute 1  
execute 2  
execute 3  
1  
2  
execute 4  
3  
4
```

```
import eventlet  
  
pool = eventlet.GreenPool(size=2)  
  
def printer(x):  
    print x  
  
print "execute 1"  
pool.spawn(printer, 1)  
print "execute 2"  
pool.spawn(printer, 2)  
print "execute 3"  
pool.spawn(printer, 3)  
print "execute 4"  
pool.spawn(printer, 4)  
  
pool.waitall()
```


EVENTLET.GREEN

COOPERATIVE SOCKETS

EVENTLET.GREEN: COOPERATIVE SOCKETS

- Same interface as `socket.socket`
- Instead of blocking, the cooperative socket switches to the main loop
- Main loop runs `select` (or `poll`, etc) and switches back to “blocked” coroutine when I/O is ready

SOCKET EXAMPLE

```
import eventlet
from eventlet.green import socket

def handle_socket(reader, writer):
    print "client connected"
    while True:
        line = reader.readline()
        if not line: break
        writer.write(line); writer.flush()
        print "echoed", line.rstrip()
    print "client disconnected"

server = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
server.bind(('', 6000))
server.listen(100)
print "Echo server listening on port 6000"

while True:
    sock, address = server.accept()
    eventlet.spawn(handle_socket, sock.makefile('r'), sock.makefile('w'))
```

SOCKETS HAVE IMPLICIT COOPERATION POINTS

- Any API which would normally block cooperates instead
 - connect
 - read
 - write
 - etc.

EMULATED MODULES

- BaseHTTPServer
- httpplib
- os
- select
- socket
- SocketServer
- thread
- threading
- time
- urllib
- urllib2
- Easy to add more

PATCHING OTHER LIBRARIES TO COOPERATE

- Import one module patched with cooperative sockets
 - `patcher.import_patched`
- Monkeypatch `sys.modules` globally
 - `patcher.monkey_patch`

SPAWNING

WSGI SERVER WRITTEN USING EVENTLET

SPAWNING: HIGHLY CONFIGURABLE

- Can be configured to use:
 - Multiple OS Processes
 - Multiple POSIX Threads
 - Green Threads
- And various combinations of the three

SPAWNING: DESIGNED FOR COMET

- “Real Time” web applications are finally becoming popular
- Servers must keep open one connection per active user
- When Spawning is configured to use eventlet’s green threads it is perfect for COMET

SUMMARY

EVENTLET

- High Scalability Non-Blocking I/O
- True Coroutines using Greenlet
- Green Threads with Scheduler
- Cooperative socket Implementation
- Easy to Integrate with Existing Libraries

EVENTLET IN PRODUCTION

- In production at Linden Lab (Second Life) since 2006
- Handles a huge amount of traffic

Q&A